

# **Exhibit “A”**

## ICANN WHOIS

www.campussafetymagazine.com

Lookup

By submitting any personal data, I agree that any the personal data will be processed in accordance with the ICANN [Privacy Policy](#), and agree to abide by the website [Terms of Service](#).

*Showing results for: CAMPUSAFETYMAGAZINE.COM*

Original Query: www.campussafetymagazine.com

## Contact Information

### Registrant Contact

Name:

Organization: E. H. Publishing Inc

Mailing Address: , MA US

Phone:

Ext:

Fax:

Fax Ext:

Email:Select Contact Domain Holder link at <https://www.godaddy.com/whois/results.aspx?domain=CAMPUSAFETYMAGAZINE.COM>

### Admin Contact

Name:

Organization:

Mailing Address: ,

Phone:

Ext:

Fax:

Fax Ext:

Email:Select Contact Domain Holder link at <https://www.godaddy.com/whois/results.aspx?domain=CAMPUSAFETYMAGAZINE.COM>

## Tech Contact

Name:

Organization:

Mailing Address: ,

Phone:

Ext:

Fax:

Fax Ext:

Email: Select Contact Domain Holder link at <https://www.godaddy.com/whois/results.aspx?domain=CAMPUSAFETYMAGAZINE.COM>

## Registrar

WHOIS Server: whois.godaddy.com

URL: <http://www.godaddy.com>

Registrar: GoDaddy.com, LLC

IANA ID: 146

Abuse Contact Email: [abuse@godaddy.com](mailto:abuse@godaddy.com)

Abuse Contact Phone: +1.4806242505

## Status

Domain Status:clientTransferProhibited <http://www.icann.org/epp#clientTransferProhibited>

Domain Status:clientUpdateProhibited <http://www.icann.org/epp#clientUpdateProhibited>

Domain Status:clientRenewProhibited <http://www.icann.org/epp#clientRenewProhibited>

Domain Status:clientDeleteProhibited <http://www.icann.org/epp#clientDeleteProhibited>

## Important Dates

Updated Date: 2018-01-29

Created Date: 2004-10-05

Registrar Expiration Date: 2019-01-29

## Name Servers

PDNS03.DOMAINCONTROL.COM

## Raw WHOIS Record

Domain Name: CAMPUSSAFETYMAGAZINE.COM  
Registry Domain ID: 131849860\_DOMAIN\_COM-VRSN  
Registrar WHOIS Server: whois.godaddy.com  
Registrar URL: http://www.godaddy.com  
Updated Date: 2018-01-29T14:31:48Z  
Creation Date: 2004-10-05T15:44:26Z  
Registrar Registration Expiration Date: 2019-01-29T04:59:59Z  
Registrar: GoDaddy.com, LLC  
Registrar IANA ID: 146  
Registrar Abuse Contact Email: abuse@godaddy.com  
Registrar Abuse Contact Phone: +1.4806242505  
Domain Status: clientTransferProhibited  
<http://www.icann.org/epp#clientTransferProhibited>  
Domain Status: clientUpdateProhibited  
<http://www.icann.org/epp#clientUpdateProhibited>  
Domain Status: clientRenewProhibited  
<http://www.icann.org/epp#clientRenewProhibited>  
Domain Status: clientDeleteProhibited  
<http://www.icann.org/epp#clientDeleteProhibited>  
Registrant Organization: E. H. Publishing Inc  
Registrant State/Province: MA  
Registrant Country: US  
Registrant Email: Select Contact Domain Holder link at  
<https://www.godaddy.com/whois/results.aspx?domain=CAMPUSSAFETYMAGAZINE.COM>  
Admin Email: Select Contact Domain Holder link at  
<https://www.godaddy.com/whois/results.aspx?domain=CAMPUSSAFETYMAGAZINE.COM>  
Tech Email: Select Contact Domain Holder link at  
<https://www.godaddy.com/whois/results.aspx?domain=CAMPUSSAFETYMAGAZINE.COM>  
Name Server: PDNS03.DOMAINCONTROL.COM  
Name Server: PDNS04.DOMAINCONTROL.COM  
DNSSEC: unsigned  
URL of the ICANN WHOIS Data Problem Reporting System:  
<http://wdprs.internic.net/>  
>>> Last update of WHOIS database: 2018-08-20T18:00:00Z <<<

For more information on Whois status codes, please visit  
<https://www.icann.org/resources/pages/epp-status-codes-2014-06-16-en>

### Notes:

IMPORTANT: Port43 will provide the ICANN-required minimum data set per

ICANN Temporary Specification, adopted 17 May 2018.

Visit <https://whois.godaddy.com> to look up contact data for domains not covered by GDPR policy.

The data contained in GoDaddy.com, LLC's WhoIs database, while believed by the company to be reliable, is provided "as is" with no guarantee or warranties regarding its accuracy. This information is provided for the sole purpose of assisting you in obtaining information about domain name registration records. Any use of this data for any other purpose is expressly forbidden without the prior written permission of GoDaddy.com, LLC. By submitting an inquiry, you agree to these terms of usage and limitations of warranty. In particular, you agree not to use this data to allow, enable, or otherwise make possible, dissemination or collection of this data, in part or in its entirety, for any purpose, such as the transmission of unsolicited advertising and solicitations of any kind, including spam. You further agree not to use this data to enable high volume, automated or robotic electronic processes designed to collect or compile this data for any purpose, including mining this data for your own personal or commercial purposes.

Please note: the registrant of the domain name is specified in the "registrant" section. In most cases, GoDaddy.com, LLC is not the registrant of domain names listed in this database.

## Submit a Complaint for WHOIS

[WHOIS Inaccuracy Complaint Form](#)  
[WHOIS Service Complaint Form](#)

[WHOIS Compliance FAQs](#)

## NOTICE, DISCLAIMERS AND TERMS OF USE:

On 17 May 2018 the ICANN Board adopted a [Temporary Specification for gTLD Registration Data](#). This page is under review and will be updated to address the Temporary Specification.

---

All results shown are captured from registries and/or registrars and are framed in real-time. ICANN does not generate, collect, retain or store the results shown other than for the transitory duration necessary to show these results in response to real-time queries.\* These results are shown for the sole purpose of assisting you in obtaining information about domain name registration records and for no other purpose. You agree to use this data only for lawful purposes and further agree not to use this data (i) to allow, enable, or otherwise support the transmission by email, telephone, or facsimile of mass unsolicited, commercial advertising, or (ii) to enable high volume, automated, electronic processes to collect or compile this data for any purpose, including without limitation mining this data for your own

personal or commercial purposes. ICANN reserves the right to restrict or terminate your access to the data if you fail to abide by these terms of use. ICANN reserves the right to modify these terms at any time. By submitting a query, you agree to abide by these terms.

\* There is one exception: ICANN acts as the registry operator for the .int TLD, and in that capacity it does collect, generate, retain and store information regarding registrations in the .int TLD.

© 2018 Internet Corporation for Assigned Names and Numbers    [Privacy Policy](#)    [Terms of Service](#)    [Cookies Policy](#)

# **Exhibit “B”**



# **Exhibit “C”**

METRO

# Contractor lit match to check gas leak, sparking school explosion

By Shawn Cohen, Amanda Lozada and Natalie Musumeci

August 21, 2015 | 4:55pm



Rich York

A plumbing-company employee somehow thought it was a good idea to check a gas leak by lighting a match — **setting off the massive explosion at a high-school building**, officials said Friday.

Workers from the Queens firm were at the building — housing eight small high schools in Manhattan's Marble Hill neighborhood — to work on a science lab on the sixth floor Thursday night.

Luigi Barillaro, 36, who lit the match, was in critical condition at Jacobi Medical Center with burns covering 90 percent of his body, police sources said. Two other workers at the scene were at Jacobi with less serious injuries.

"I do not believe this is a standard procedure," Mayor de Blasio said in a massive understatement. "I do believe this was a mistake and obviously a very costly one for the workers involved."

The explosion caused a thunderous blast that blew out windows and walls of the building, the former John F. Kennedy HS, which now houses the smaller schools serving 3,000 students.

Contractor sparked high school gas explosion

Barillaro, of Howard Beach, is the father of two young kids.

Charles Marullo, 53, and James Intriago, 38, were also burned.

"He's coherent, but he's burnt a lot," said Barillaro's grandmother-in-law, Lenore Gurino.

All of the workers were from Ozone Park's Mar-Sal Plumbing & Heating, which was sub-contracting for a firm called Positive Electrical Associates.

De Blasio said the building will not open in time for the start of the school year on Sept. 9. Its students will be sent to other schools.

The science lab has been under construction since July 2014 and was slated to be finished in 2016.

Students couldn't believe the cause of the explosion.

— ADVERTISEMENT —

Ad Choices 



"That's ridiculous!" said Victor Ortiz, 15, an incoming Marble Hill HS junior. "I guess he didn't watch that many cartoons to know if you light a match around gas, it goes boom."



Christopher Sadowski

---

FILED UNDER [EXPLOSIONS](#), [PUBLIC SCHOOLS](#), [THE BRONX](#)

Recommended by



# **Exhibit “D”**


# Campus Safety

CampusSafety Get the print or digital magazine today!

[Log in or Register!](#) [Why Join?](#)

[f](#) [t](#) [in](#) [R](#) [S](#)

[Mass Notification](#) [Safety](#) [Emergency Management](#) [Security](#) [Clery/Title IX](#)



SONY See everything, miss nothing.

[Learn More >](#)

## Construction Workers Hospitalized Following Massive Explosion at School

Workers were renovating a science lab at the time of the explosion.

[Like](#) [Link](#) [Twitter](#) [Share](#) [G+](#)

By CS Staff · August 24, 2015

A massive explosion at a high school building in New York sent three people to the hospital, one of whom is in critical condition.

Luigi Barillaro, 36, reportedly lit a match to check a gas leak on August 20, causing the explosion that left him in critical condition and two of his coworkers in the hospital with less severe injuries.

The workers were part of a plumbing company that was working on the sixth floor of a Manhattan building that houses eight small high schools, according to the New York Post.

The explosion was so large that windows and walls of the building were blown out and nearby residents mistook it for an earthquake.

The building's high schools serve around 3,000 students, but school was not scheduled to start until September 9. Delays are expected.



Firefighters went through the damaged building following the explosion.

[Student Safety in the News](#)

Va. School Districts Receive \$150K School Security Grant

N.J. College Students Charged in Campus Knife Fight

No Injuries Reported in Shooting on Central Georgia Technical Campus

Student Helps Security Officer Take Down Attacker

[More on Student Safety](#)

[School Safety Downloads](#)

Best Practices for Integrating Mobile into the Access Control Architecture

Mobile access presents the opportunity to dramatically alter how we open doors and interact with our environment, and when implemented correctly, the future of access control will come knocking.

[More School Safety Downloads](#)

Topics: School Safety · Public Safety · News · Construction · Explosions · Lab Safety · Student Safety

 [FREE SUBSCRIPTION OFFER!](#)

Add Another Layer of Protection to your Campus

If you're responsible for protecting a campus — whether at a hospital, K-12 school, college or university — then Campus Safety magazine is a must-read, and it's free! As the only publication developed specifically for campus safety and emergency management personnel, issues cover all aspects of safety measures, including access control, video surveillance, mass notification, and more.

Take advantage of a free subscription to Campus Safety today, and add its practical insights, product updates and know-how to your toolkit. Subscribe today!

[Subscribe Today!](#)

Comments:

[Log in to leave a Comment](#)

Username:

Password:

Keep me logged in.

[Submit](#) [Forgot Password?](#) [View Comment Guidelines.](#)

If you are not a member, [register today!](#)

SPONSORED LINKS

Don't miss out! Subscribe to Campus Safety magazine today. - Campus Safety Magazine

EDITOR'S CHOICE



Calif. Student with Detailed School Shooting Plan Arrested



2016 Campus Safety Conference Session Videos Now Available On-Demand



Student Helps Security Officer Take Down Attacker



Sage Advice from a School Security Veteran



20 Active Shooter and Active Killer Prevention Strategies



A Discussion on School Resource Officers with NASRO's Mo Canady

**CampusSafety**

<b>Topics</b> <ul style="list-style-type: none"> <li><a href="#">CS Home</a></li> <li><a href="#">Mass Notification</a></li> <li><a href="#">School Safety</a></li> <li><a href="#">Public Safety</a></li> <li><a href="#">Emergency Mgmt</a></li> </ul>	<b>Essentials</b> <ul style="list-style-type: none"> <li><a href="#">Products</a></li> <li><a href="#">Blog Posts</a></li> <li><a href="#">Photo Galleries</a></li> <li><a href="#">Video</a></li> <li><a href="#">Webcasts</a></li> <li><a href="#">White Papers</a></li> <li><a href="#">BEST Awards</a></li> </ul>	<b>Services</b> <ul style="list-style-type: none"> <li><a href="#">Magazine Subscription</a></li> <li><a href="#">Advertisement</a></li> <li><a href="#">Events</a></li> <li><a href="#">Hearings</a></li> <li><a href="#">Events</a></li> <li><a href="#">Magazine Archives</a></li> <li><a href="#">CS Staff</a></li> </ul>	<b>Follow Us</b> <ul style="list-style-type: none"> <li><a href="#">Facebook</a></li> <li><a href="#">Twitter</a></li> <li><a href="#">RSS</a></li> <li><a href="#">LinkedIn</a></li> <li><a href="#">Google+</a></li> <li><a href="#">View RSS in Feedly</a></li> <li><a href="#">Get Email</a></li> <li><a href="#">Newsletters</a></li> <li><a href="#">Store</a></li> </ul>
--	---	---	---

Copyright 2005-2016 Campus Safety Magazine

[http://www.campussafetymagazine.com/article/3\\_n.y.\\_construction\\_workers\\_hospitalized\\_f](http://www.campussafetymagazine.com/article/3_n.y._construction_workers_hospitalized_f)

# School

Workers were renovating a science lab at the time of the explosion.

Like 5 Tweet Share 0

By CS Staff · August 24, 2015

A massive explosion at a high school building in New York sent three people to the hospital, one of whom is in critical condition.

Luigi Barillaro, 36, reportedly lit a match to check a gas leak on August 20, causing the explosion that left him in critical condition and two of his coworkers in the hospital with less severe injuries.

The workers were part of a plumbing company that was working on the sixth floor of a Manhattan building that houses eight small high schools, according to the New York Post.



Firefighters went through the damaged building following the explosion.

**Student Safety in the News**

[Va. School Districts Receive \\$150K School Security Grant](#)

[N.J. College Students Charged in Campus Knife Fight](#)

**CampusSafety Newsletters** To receive the latest news & articles, sign up for our email newsletter!

[Learn more >](#)

**ALARM LOCK**  
**Lockdown School Safety & Budgets Better**

**Latest Download.**

**How Technology and the Cloud Empower Campus Safety**  
By adopting cloud services and

Windows 9:35 AM  
9/23/2016